

DURABOOK

DURABOOK · TABLET

Durabook R10 Tablet

Industries: Industry · Public Safety · Logistics

Display 10.1" WUXGA sunlight-readable touchscreen with 1,000 nits



IP66

IP RATING

810H

MIL-STD

1,000 nits

BRIGHTNESS

1.2 kg

WEIGHT

CORE SPECIFICATIONS

Display size	10.1 inch
Resolution	WUXGA (1920 x 1200)
IP rating	IP66
MIL-STD	MIL-STD-810H, MIL-STD-461G
Brightness	1,000 nits
Processor	Intel® Core™ Ultra 5 226V, 228V, 236V, 238V · Intel® Core™ Ultra 7 256V, 258V, 266V, 268V (vPro™ depending on variant, with Intel® AI Boost NPU)
Memory and storage	16 GB RAM (LPDDR5x, optional up to 32 GB) · 256 GB PCIe NVMe SSD (standard), optional up to 2 TB
Battery	Li-Ion, 11.4 V, 4400 mAh, 8.5 hrs. runtime; optional hi-cap battery (8700 mAh, 17 hrs.); optional bridge battery (1 min. swap time)
Weight	1.2 kg
Operating temperature	-29 °C to 63 °C
Interfaces	Thunderbolt 4 (Type-C) × 1 · USB 3.2 Gen 2 (Type-A) × 1 · audio combo jack × 1 · microSD × 1 · RJ45 Ethernet × 1 · docking connector (20-pin Pogo) × 1 · dual-SIM Optional: USB 3.2 Gen 1 (Type-C), USB 3.2 Gen 1 (Type-A), RS232, barcode scanner, 2nd RJ45 Ethernet, smart card/RFID reader
Configurable	Yes, interactive configurator on the product page (18 groups)

MIL-STD/brightness/processor/memory/battery/weight/operating temperature/interfaces come from the manufacturer datasheet DURABOOK_DM_R10_EN_20251209.pdf . Display size, IP rating and configurability unchanged from comparison table: tablets (German) resp. product page .

INTERFACES

– Thunderbolt 4 (Type-C) × 1

– USB 3.2 Gen 2 (Type-A) × 1



REQUEST QUOTATION

Scan the QR code or call – configuration, quantities, and delivery time on request.

kontakt@robustbook.com | +49 (0) 69 271 470 985

- audio combo jack × 1
- RJ45 Ethernet × 1
- dual-SIM
- microSD × 1
- docking connector (20-pin Pogo) × 1

Optional: USB 3.2 Gen 1 (Type-C), USB 3.2 Gen 1 (Type-A), RS232, barcode scanner, 2nd RJ45 Ethernet, smart card/RFID reader

CERTIFICATIONS AND RUGGEDNESS

MIL-STD-810H

Shock, vibration, temperature, altitude

MIL-STD-461G

Electromagnetic compatibility

IP66

Completely dustproof, jet water resistant

FEATURES AND OPTIONS

Display	10.1" WUXGA sunlight-readable touchscreen with 1,000 nits
Camera	Windows Hello IR webcam for biometric sign-in
Connectivity	Wi-Fi 7, Bluetooth v5.4, integrated RJ45 Ethernet
	Base configuration shipped without bridge battery, rear camera and smart card reader
Ruggedness	IP66-rated (dust and jet water protection)

CONFIGURATION OPTIONS

STORAGE OPTION

Base configuration	[GPO]
Upgrade to 512GB PCIe SSD	[GPO]
Upgrade to 1TB PCIe SSD	[GPO]
Upgrade to 2TB PCIe SSD	[GPO]

PERFORMANCE

Base configuration	[GPO]
Intel® Core™ Ultra 5 228V (32GB RAM / 8MB cache / up to 4.5 GHz / 8 cores / 8 threads / with Intel® AI Boost NPU up to 40 TOPS)	[P0]
Intel® Core™ Ultra 5 236V vPro (16GB RAM / 8MB cache / up to 4.7 GHz / 8 cores / 8 threads / with Intel® AI Boost NPU up to 40 TOPS)	[P0]
Intel® Core™ Ultra 5 238V vPro (32GB RAM / 8MB cache / up to 4.7 GHz / 8 cores / 8 threads / with Intel® AI Boost NPU up to 40 TOPS)	[P0]
Intel® Core™ Ultra 7 256V (16GB RAM / 12MB cache / up to 4.8 GHz / 8 cores / 8 threads / with Intel® AI Boost NPU up to 48 TOPS)	[P0]
Intel® Core™ Ultra 7 258V (32GB RAM / 12MB cache / up to 4.8 GHz / 8 cores / 8 threads / with Intel® AI Boost NPU up to 48 TOPS)	[P0]
Intel® Core™ Ultra 7 266V vPro (16GB RAM / 12MB cache / up to 5.0 GHz / 8 cores / 8 threads / with Intel® AI Boost NPU up to 48 TOPS)	[P0]
Intel® Core™ Ultra 7 268V vPro (32GB RAM / 12MB cache / up to 5.0 GHz / 8 cores / 8 threads / with Intel® AI Boost NPU up to 48 TOPS)	[P0]

DISPLAY SELECTION

Base configuration	[GPO]
Digitizer	[GPO]

COMMUNICATION

Base configuration	[GPO]
Multi-carrier 4G LTE mobile broadband + GPS combo	[GPO]
Dedicated GPS (not combinable with 4G LTE + GPS combo)	[GPO]
Dedicated GPS (not combinable with 4G LTE + GPS combo) + RF antenna pass-through	[GPO]
Multi-carrier 4G LTE mobile broadband + GPS combo + RF antenna pass-through	[GPO]
Multi-carrier 5G mobile broadband + GPS combo	[GPO]
Multi-carrier 5G mobile broadband + GPS combo + RF antenna pass-through	[GPO]

INTEGRATED OPTIONS

Base configuration	[GPO]
Fingerprint scanner	[GPO]



REQUEST QUOTATION

Scan the QR code or call – configuration, quantities, and delivery time on request.

kontakt@robustbook.com | +49 (0) 69 271 470 985

ANSI/ISA 12.12.01(C1D2) [GPO]

Extended hi-cap battery (upgrade from standard battery) [GPO]

11 MP rear camera [GPO]

Buffer battery [GPO]

INTEGRATED OPTIONS (MUTUALLY EXCLUSIVE)

Base configuration [GPO]

RS232 [GPO]

USB 3.2 Type C [GPO]

USB 3.2 Type A [GPO]

2nd LAN port (RJ45) [GPO]

Barcode scanner [GPO]

INTEGRATED OPTIONS EXPANSION MODULE

Base configuration [GPO]

Expansion module – LF/HF RFID module [GPO]

Expansion module – smart card reader [GPO]

Expansion module – LF/HF RFID module + smart card reader [GPO]

Expansion module – UHF RFID module [GPO]

EXTENDED WARRANTY

Base configuration [GPO]

Extended warranty – years 1 to 4 (includes 1 year of extended warranty) [GPO]

Extended warranty – years 1 to 5 (includes 2 years of extended warranty) [GPO]

ACCIDENTAL DAMAGE

Base configuration [GPO]

Accidental damage – years 1 to 3 [GPO]

Accidental damage – years 1 to 4 (includes 1 year of extended warranty) [GPO]

Accidental damage – years 1 to 5 (includes 2 years of extended warranty) [GPO]

EXTENDED BATTERY WARRANTY

Base configuration [GPO]

Extended battery warranty – 2 years coverage (standard main battery only) [GPO]

Extended battery warranty – 3 years coverage (standard main battery only) [GPO]

Extended battery warranty – 4 years coverage (standard main battery only) [GPO]

Extended battery warranty – 5 years coverage (standard main battery only) [GPO]

Extended battery warranty – 2 years coverage (hi-cap main battery) [GPO]

Extended battery warranty – 3 years coverage (hi-cap main battery) [GPO]

Extended battery warranty – 4 years coverage (hi-cap main battery) [GPO]

Extended battery warranty – 5 years coverage (hi-cap main battery) [GPO]

STORAGE RETENTION

Base configuration [GPO]

Keep your SSD – years 1 to 3 [GPO]

Keep your SSD – years 1 to 4 [GPO]

Keep your SSD – years 1 to 5 [GPO]

EXTENDED WARRANTY - OTHER

Base configuration [GPO]

Extended warranty Durabook Vehicle Lite Dock – years 1 to 5 (includes 2 years of extended warranty) [GPO]

Extended warranty Durabook Office Dock – 2 years coverage [GPO]

Extended warranty Durabook Office Dock – 3 years coverage [GPO]

POWER SUPPLY OPTIONS



REQUEST QUOTATION

Scan the QR code or call – configuration, quantities, and delivery time on request.

kontakt@robustbook.com | +49 (0) 69 271 470 985

Vehicle adapter (DURABOOK / 11-32V DC 90W) [GPO]

Replacement battery [GPO]

Replacement extended hi-cap battery [GPO]

Replacement 65W power adapter with power cord [GPO]

Replacement 120W power adapter with power cord (MIL-STD-461G compliant power adapter) [GPO]

Replacement 90W USB Type-C power adapter with power cord [GPO]

Battery charger – 2 bays [GPO]

Battery charger – 8 bays [GPO]

DOCKING & STATIONING

Office dock with power adapter [GPO]

Durabook USB 3.0 docking station [GPO]

Durabook USB-C docking station [GPO]

KEYBOARDS

R10 detachable backlit membrane keyboard [GPO]

R10 detachable backlit membrane keyboard (with additional HDMI + LAN) [GPO]

R10 detachable backlit membrane keyboard (with additional LAN + 3rd USB Type A) [GPO]

STRAPS & CARRYING

R10 X-strap [GPO]

Rotating hand strap with stand [GPO]

Shoulder strap (4-point) [GPO]

Shoulder strap (2-point) [GPO]

Hand strap (soft) [GPO]

PENS & SCREEN PROTECTION

R10 screen protector [GPO]

Replacement digitizer pen [GPO]

Replacement active pen [GPO]

Replacement stylus and tether for capacitive touch [GPO]

MOUNTING & VEHICLE DOCKS

T-stand [GPO]

R10 Vehicle Lite Dock without tri-RF pass-through (with vehicle adapter / DURABOOK) [GPO]

R10 Vehicle Lite Dock with tri-RF pass-through (with vehicle adapter / DURABOOK) [GPO]

R10 mount (passive / vehicle adapter available separately) [GPO]

gpo Manufacturer information Durabook, as at 07.08.2026

MANUFACTURER DATASHEET

Durabook, dated 09 December 2025 · binding source

[DURABOOK_DM_R10_EN_20251209.pdf](#)

This overview was compiled from the documented information and is not a manufacturer datasheet. The manufacturer's specifications are binding. Subject to change, errors reserved, technical developments subject to change. As at: 8 August 2026.



REQUEST QUOTATION

Scan the QR code or call – configuration, quantities, and delivery time on request.

kontakt@robustbook.com | +49 (0) 69 271 470 985