



GETAC · TABLET

Getac ZX10 G2 Tablet

Industries: Industry · Logistics · Public safety

Operating system Android™ 15.0 (shown as "Android™ 13" here until 08 August 2026, per the product page; corrected per the manufacturer datasheet, Getac, as at 06 August 2026)



IP66

IP RATING

810H

MIL-STD

1,000 nits

BRIGHTNESS

906 g

WEIGHT

CORE SPECIFICATIONS

Display size	10.1 inch
Resolution	WUXGA (1920 x 1200)
IP rating	IP66
MIL-STD	MIL-STD-810H
Brightness	1,000 nits
Processor	Qualcomm® QCS6490, octa-core, 1.9 GHz (up to 2.7 GHz)
Memory and storage	8 GB LPDDR5 RAM · 128 GB UFS (optional 256 GB UFS)
Battery	Li-ion 3.88 V, standard 4,990 mAh (min. 4,870 mAh); optional high-capacity battery 9,980 mAh (min. 9,740 mAh); LifeSupport battery swappable technology
Weight	906 g
Operating temperature	-29 °C to 63 °C
Interfaces	1× combined audio connector · 1× USB 2.0 (host) · 1× USB 3.2 Gen 1 Type-C (with DP & PD) · 1× microSD card reader · 1× docking connector
Configurable	Yes, interactive configurator on the product page (8 groups)

Source for display size/resolution/IP rating/MIL-STD/brightness/processor/memory/battery/weight/operating temperature/interfaces: manufacturer datasheet (Getac, as at 06 August 2026). Source for "Configurable": interactive configurator on the product page , based on the manufacturer datasheet (see source per option there).

INTERFACES

- 1× combined audio connector

– 1× USB 2.0 (host)



REQUEST QUOTATION

Scan the QR code or call – configuration, quantities, and delivery time on request.

kontakt@robustbook.com | +49 (0) 69 271 470 985

- 1× USB 3.2 Gen 1 Type-C (with DP & PD)
- 1× microSD card reader
- 1× docking connector

CERTIFICATIONS AND RUGGEDNESS

MIL-STD-810H

Shock, vibration, temperature, altitude

IP66

Completely dustproof, jet water resistant

FEATURES AND OPTIONS

Operating system	Android™ 15.0 (shown as "Android™ 13" here until 08 August 2026, per the product page; corrected per the manufacturer datasheet, Getac, as at 06 August 2026)
Graphics processor	Qualcomm® Adreno™ 643 GPU; NPU: Qualcomm® Hexagon™, 13 TOPS
Storage options	128 GB UFS standard, optional 256 GB UFS
Connectivity	Wi-Fi 6E 802.11ax, Bluetooth v5.2, optional 4G LTE / 5G Sub-6
Optional	GPS L1/L5
Cameras	8 MP front camera, 16 MP autofocus rear camera
Certifications per manufacturer description	IP66, MIL-STD-810H; drops from up to 1.80 m height

CONFIGURATION OPTIONS

MEMORY AND STORAGE

Standard: 8 GB LPDDR5 / 128 GB UFS [\[DB\]](#)

8 GB LPDDR5 / 256 GB UFS [\[DB\]](#)

DISPLAY

Standard: Capacitive multi-touch screen [\[DB\]](#)

Dual mode touchscreen (multi-touch and digitizer) [\[DB\]](#)

APPROVALS

Standard: no hazardous-location approval [\[DB\]](#)

ANSI/UL 121201. CSA C22.2 NO. 213 (Class I, Division 2. Gruppen A, B, C, D) [\[DB\]](#)

WIRELESS AND POSITIONING

Standard: Wi-Fi 6E (802.11ax), Bluetooth v5.2 [\[DB\]](#)

dediziertes L1/L5 GPS [\[DB\]](#)

mobiles 4G-LTE-Breitband with integriertem SIM card slot [\[DB\]](#)

5G Sub-6 with integriertem SIM card slot [\[DB\]](#)

Dual-SIM (Nano-SIM 4FF and e-SIM) [\[DB\]](#)

READERS AND SECURITY

Smart card reader [\[DB\]](#)

1D/2D Imager Barcode-Reader [\[DB\]](#)

NFC (13.56 MHz kontaktlos, ISO 15693. 14443 A/B, Mifare- and FeliCa™-konform) [\[DB\]](#)

INTERFACES AND MODULES

SIM card slot (Nano-SIM, 4FF) [\[DB\]](#)

RF antenna pass-through for GPS, WWAN and WLAN [\[DB\]](#)

BATTERY AND POWER

Replaceable battery option: high-capacity battery (3.88 V, typ. 9980 mAh; min. 9740 mAh) x 2, instead of the standard battery (3.88 V, typ. 4990 mAh; min. 4870 mAh) x 2 [\[DB\]](#)

ACCESSORIES



REQUEST QUOTATION

Scan the QR code or call – configuration, quantities, and delivery time on request.

kontakt@robustbook.com | +49 (0) 69 271 470 985

Keyboard dock [DB]
Vehicle dock [DB]
Office-Dock [DB]
Multi-bay charger, two bays [DB]
Multi-bay charger, eight bays [DB]
65-W-USB-C-Power adapter [DB]
DC-DC Vehicle adapter, 65 W, 11-32 VDC [DB]
Carrying case [DB]
Stylus with tether [DB]
Capacitive Stylus with tether [DB]
Screen protector [DB]
Rugged handle [DB]
Shoulder strap (2-Punkt) [DB]
Schulterharnisch (4-Punkt; Freisprecheinrichtung) [DB]
Rotating hand strap with kickstand [DB]

db Getac ZX10 (generation G2) manufacturer datasheet, PDF as at 06 August 2026, /datasheets/EN/Getac_ZX10_G2_EN_Product.pdf

MANUFACTURER DATASHEET

Getac, as at 06 August 2026 · binding source

[Getac_ZX10_G2_EN_Product.pdf](#)

This overview was compiled from the documented information and is not a manufacturer datasheet. The manufacturer's specifications are binding. Subject to change, errors reserved, technical developments subject to change. As at: 8 August 2026.



REQUEST QUOTATION
Scan the QR code or call – configuration, quantities, and delivery time on request.
kontakt@robustbook.com | +49 (0) 69 271 470 985